



Simplex Manufacturing dba Simplex Aerospace
13340 NE Whitaker Way Portland, OR 97230
mail@simplexmfg.com www.simplex.aero
Main Phone (503) 257-3511 Fax (503) 257-8556

Simplex Model 347 Fire Attack System

CH-47D





Simplex Model 347

Fire Attack System

CH-47D





Simplex Manufacturing dba Simplex Aerospace
 13340 NE Whitaker Way Portland, OR 97230
 mail@simplexmfg.com www.simplex.aero
 Main Phone (503) 257-3511 Fax (503) 257-8556

Simplex Model 347 ▪ Fire Attack System

CH-47D

Certifications	
FAA STC #SR02466SE	CH-47D

Features & Benefits
<ul style="list-style-type: none"> • Certified for Day/Night VFR Operations • 3,050 gallon internal Fire Attack Tank

FAS Details	
Tank Assembly Weight	1,704 lb / 773 kg
Tank Assembly Capacity	3,050 gal / 11,545 L
Foam Capacity	140 gal / 530 L
Hover Refill Rate	3,050 GPM / 11,545 LPM
Salvo Drop (Full Capacity to Empty)	4 Seconds
VNE	140 KIAS

Simplex Sales	
Michael Finnegan, Director of Product Sales Europe, Russia, Middle East and Asia mfinnegan@simplexmfg.com	Casey Zimmerman, Regional Sales Manager North/Central/South Americas, Africa and Pacific Islands czimmerman@simplexmfg.com